

Vivaldi Pavilion

NR. ART. 041317

2x




PART: 1
6 pcs




POST

PART: 2
6 pcs




BOTTOM RING BEAM

PART: 3
6 pcs



TOP RING BEAM

PART: 4
6 pcs




ROOF RAFTER

PART: 5
1 pc




RAFTERS TIE

PART: 6
1 pc



ROOF FINAL

PART: 7
5 pcs



RAIL

PART: 8
60 pcs




TILE

PART: 9
10 pcs




ANGLE BAR

PART: 10 | 6 pcs




ROOF PANELS

PART: 11 | 5 pcs




TRELLIS

PART: 12 | 12 pcs



CORNER TRELLIS

PART: 13 | 6 pcs



BELT OF LEAD

EXPLANATION



VIEW









MEASURE




ZOOM




DRAW

PART	FIXING HARDWARE	QUANTITY
A	5,0 x 90 mm 	3 pcs
B	5,0 x 60 mm 	48 pcs
C	4,5 x 50 mm 	78 pcs
D	4,0 x 25 mm 	40 pcs
E	2,5 x 25 mm 	120 pcs
F	2,2 x 50 mm 	72 pcs
	WOODEN SCRIBER	1 pc

STEP 1




MEASURE THIS THISTANCE AND DRAW THE CARRYING LINES ON BOTH SIDES: A AND B




REPEAT STEP 1 ON ALL ELEMENTS PART: 1


STEP 2




STEP 3



STEP 4



STEP 5




REPEAT STEPS: 2, 3, 4, 5 – 3 TIMES

STEP 6

LIKE IN STEP 2


SEGMENT CREATED IN STEP 5



GROUND MUST BE FLAT
REPEAT STEP 6 - 3 TIMES

STEP 7


LIKE IN STEP 3, 4 AND 5



STEP 8

LIKE IN STEP 7

LIKE IN STEP 5



STEP 9


PART: C

PART: 5


PART: 4

PART: 5


PART: 4




STEP 10




STEP 11




STEP 12



STEP 13




STEP 14




REPEAT STEP 14 AROUND THE ROOF

STEP 15



STEP 16

PUT BELT OF LEAD ON ROOF (PART:10)
THEN USE WOODEN SCRIBER TO COMPENSATE LEAD (PART: 13)



REPEAT STEP 16 AROUND THE ROOF

