



Assembly Instructions



(W x D x H) 1.18m x 0.73m x 0.73m

Product Name: Abbey 2 Seater Rocking Bench

Pressure Treated products should not be treated with any other products for the first month.

PLEASE KEEP THESE INSTRUCTIONS

Zest4Leisure


01352 752555 option 1 – sales@zest4leisure.co.uk





Abbey 2 Seater Rocking Bench Assembly Instructions

Requires 2 person assembly.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, (Hex Bit Included).

Abbey 2 Seater Rocking Bench Pack List		
Item	Description	Quantity
A	Seat Assembly	1
B1	Right Leg Assembly	1
B2	Left Leg Assembly	1
C	Back Assembly	1
D	Diagonal Bracing	4
Fixings		
	50mm screws	8
	60mm hex screws	7
	90mm hex screws	2



1a**1b****2a****2b****3a****3b**

1. Fix Seat Assembly A to Right Leg Assembly B1 ensuring correct orientation of components using 2no 60mm hex screws (See Fig. 1a). Repeat procedure for remaining Left Leg Assembly B2. (See Fig. 1b)
2. Place partly assembled seat in upright position and attach Back Assembly C to Seat Assembly A using 3no 60mm hex screws. (See Fig. 2a)
Attach Back Assembly C to armrests using 2no 90mm hex screws (1no per armrest). (See Fig. 2b)
3. Invert bench assembly and place on a flat surface. Position 4no Diagonal Bracings D to front and back of seat and fix into position using 8no 50mm screws (2no per Diagonal Bracing D). (See Figs. 3a & 3b)

Abbey 2 Seater Rocking Bench is now complete.