

## Cottage Arbour Assembly Instructions – CA101/2

When receiving this product you will receive 6 different items they are as follows:

Part 1 & 2 Left Hand Side  
/Right Hand Side Panel



Part 3 Back Panel



Part 4 Seat Panel



Part 5 Roof Panel



Part 6 Product instructions and screw pack 12 screws all the same size will be need for this assembly:


1. Find a flat surface and lay parts 1, 2 & 3 as shown, ensuring that the cup holders on both side panels are facing inwards. Insert 4 screws through the back panel (part 3) where the arrows show and screw them into both side panels. Once assembled stand up the arbour assembly.



2. Next insert the seat ( part 4) When inserting the seat if you find it is a little bit tight just pull the side panels out a little bit at the front, then lower the seat unit onto the ledges on each side panel. Screw the seat unit in to place. Using 2 screws, screw into the seat at an angle on each side, as indicated by the arrows (right) Using 2 more screws, screw through each side of the side panel into the seat. As indicated (below)



3. Place the roof panel on to the assembly (Part 5) it should fit straight on top. Once the roof has been placed into position screw into place using 4 screws as indicated by the arrows:  
2 screws should be screwed at an angle, through the side panels and into the roof section – outside arrows.  
2 screws should be screwed through the back panel and into the roof section – middle arrows.



Your Arbour is now complete.

Sit back and relax

#### **PRODUCT INFORMATION– PLEASE READ**

Thank you for making the decision to purchase our eco-friendly garden products.

When first delivered your item may appear to look slightly green in colour. This is due to the Tanalith-E treatment which the wood has been pressure treated with. The green tint will fade as the treatment fully settles. There may be residue of the treatment in a dry form around the knots which can be easily wiped off with a cloth or stiff brush. This will not affect the efficiency of the treatment.

We made the decision to have our furniture pressure treated as it is the best possible way to ensure that you will get maximum life out of your garden furniture. The pressure treatment process can protect the timber against rot for as long as 25 years which means that we are manufacturing responsibly and showing care for the environment. However, during the pressure treatment process some of the natural oils and resins are removed from the timber and replaced with the Tanalith-E treatment. This means that the timber is more prone to splits and cracks than non treated timber. During hot or dry spells, the grain can open up and splits or cracks appear, this is of no detriment whatsoever to the longevity of the product and is completely natural due to wood being a natural product. When the weather is damp or humid then the timber will absorb moisture from the air, the grain will swell and the splits or cracks will lessen or disappear. Your timber product does not need further preservative treatment to stop it from deteriorating, however, we do advise that it is coated on the surface areas with a decking oil, garden furniture oil or furniture protector once a year to moisturise the timber and help to protect against UV damage.