

(W x D x H) 1.60m x 2.06m x 0.935m



PLEASE KEEP THESE INSTRUCTIONS





Every Zest product is unique because each piece of timber has its own distinctive, natural features.

Zest sources all of its timber from responsibly-managed forests and everything it designs and produces meets the highest standards of sustainability. Zest ensures that all timber and timber-related products are certified to Forestry Stewardship Council (FSC®).

This is vital not only for the health of the planet, but also shows Zest's commitment to the environment and to responsible sourcing. Timber is a natural material and, as such, will fit beautifully within any outdoor space. This also means that all Zest pieces are unique because every piece of timber has its own distinctive features.

Natural and Unique...

Changes in temperature and humidity will cause expansion and contraction so Zest products need time to adjust to where the owners live. A few splits or cracks are part of the maturing process and will not affect strength or durability. Knots embedded in the wood are natural and tell the story of the tree which made them. Customers may notice variations in colour but, once out in the garden and exposed to the sun, colour and shading will even out.

Most Zest products are pressure treated which protects the timber from rot and means customers will be able to enjoy the products in their garden for many years.

Fresh pressure treatment sometimes leads to a small amount of greenspotting on the surface of new timber as the natural salt leaves the wood. This will fade away over time and is in no way detrimental to quality or durability.

Splits and cracks occur naturally in the timber grain due to changing temperatures and humidity levels. They are not usually a cause for concern as they don't affect the strength or durability of the product. If however, a 2p coin can fit into the split or crack there may be an issue so it should be reported to the retailer in writing with photographic evidence.



The benefits of slow grown timber Slow grown timber from Eastern Europe is ideal for timber garden furniture. It produces a stronger grain in the wood giving it more durability and is said to be as strong as some hard woods.





Should you find a large split or dead knot, please email a photo to your retailer for investigation.

FURNITURE | ARBOURS | GROW YOUR OWN | PLANTERS | TRELLIS | FENCING & MORE ...

Emily Table Assembly Instructions

Requires 2 person assembly.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, Spanner.


Please take a few moments to check all pack contents listed

Emily Table Pack List					
Code	Item	Description	Quantity		
09044	А	Side Panel	2		
09045	В	Bracing	1		
09046	С	Table Top	1		


11605 - Emily Table Fixings List				
Item	Description	Quantity		
1	Screws	4		
2	Bolts	4		
3	Washers	4		
4	Nuts	4		



This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase



Attach Side Panels A to Bracing B as shown in Figs.1a & 1b using 4no Screws (2no per side)



Position Table Top C onto Side Panels A (Fig.2a), align bolt holes and fix in position using 4no Bolts, Washers and Nuts – 2no per side (Figs.2b, 2c & 2d).

Your Emily Table is now complete.

2

Emily 2 Seater Bench Assembly Instructions

Requires 2 person Assembly.

Tools required: 10mm Spanner, Slotted (Flat-head) Screwdriver, 4mm Hex (Allen) Key.


Please take a few moments to check all pack contents listed

Emily 2 Seater Bench Pack List					
Code	Item	Description	Quantity		
09020	D	Seat Assembly	1		
19335	E	Side Assembly	2		
20257	F	Back	1		

10095 - Emily 2 Seater Bench Fixings List					
Item	Description	Quantity			
1	80mm Screws	8			
2	70mm Screws	4			
3	Washers	4			
4	Cross Dowel	4			



This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase



Locate Seat Assembly (A) into Side Assemblies (B) ensuring bolt-holes are aligned and insert 2no bolts per side (See Figs 1a & 1b). Locate washers and carefully thread nuts on to bolts, but do not tighten fully at this stage (hand tighten).



Insert 4no Cross Dowels into 10 mm holes to rear of Back Assembly (C) ensuring slots face outwards (as shown in Fig 2a, which allows for aligning dowels with bolts using a slot head screwdriver). Position the Back Assembly between side assemblies (Fig 2b) and insert 2no bolts per side and carefully thread bolts into cross dowels (Figs 2c & 2d).

Your Emily 2 Seater Bench is now complete.

2