


SETTING UP THE 4431F1

Make sure to place your fountain on a firm area which will not settle. Note: Always follow local electrical codes and use a 110V GFCI protected outlet.

- 1) Place fountain on your prepared site. Set pump and light in the basin and run power cords out the back hole.
- 2) Open the slits in the stopper and, near the back hole, place the power cords in the stopper's molded grooves. Then close the slits and press the stopper tightly into the back hole to keep the fountain watertight.
- 3) Slip the plastic tube down through the holes in the two horizontal sections, with the fitting on the bottom. Thread the fitting into the top of the pump. (If the pump in your kit has a larger $\frac{3}{4}$ " outlet, your kit will also include a $\frac{3}{4}$ " x $\frac{1}{2}$ " bushing to slip between the tube fitting and the pump.)
- 4) Use the supplied silicone sealant to attach the copper spill plate to the angled face of the fountain as shown to allow water to flow out of the top reservoir and cleanly spill over the plate. (You can use any extra sealant to fill up the top hole through which you just fed the water tube.)
- 5) Set the foam diffuser in the reservoir above the water supply tube.
- 6) Fill basin with water. Read pump and light instructions. Turn on the pump and light. If the pump does not immediately begin working, there may be an "airlock" within the impeller chamber. Simply unplug and plug in a few times and it should start.



Csd 2/2021

IMPORTANT – WINTER CARE

Winter ice build-up can cause damage to concrete statuary. Follow these tips to reduce winter weathering to your fountain:

- * Disconnect power to pumps and lights.
- * Remove plugs/stoppers in all fountain bowls to open drains and let all moisture out. Keep drains open throughout winter.
- * Cover with a Henri fountain cover. Keep tight and do not let snow or water collect in sagging areas.
- * Do not allow snow or ice to build up on or against the concrete. Remove snow before it turns to ice. Do not use antifreeze, salt or chemical ice removers as these may damage concrete.

Online Resources

Products: www.henristudio.com/products
FAQs: www.henristudio.com/faq
Warranty: www.henristudio.com/warranty
Contact : www.henristudio.com/contact-us

Caution: The use of Chlorine or Chlorine Bleach or water coloring additives may damage the finish of your fountain.