



Assembly Instructions **Lily Relax Double Seat**

Code: 00450

v8




(W x D x H) 1.75m x 0.92m x 0.92m



ONLINE ASSEMBLY VIDEO AVAILABLE

Please scan the QR code or visit zestoutdoorlivingsupport.co.uk



PLEASE KEEP THESE INSTRUCTIONS



Every Zest product is unique because each piece of timber has its own distinctive, natural features.

Zest sources all of its timber from responsibly-managed forests and everything it designs and produces meets the highest standards of sustainability. Zest ensures that all timber and timber-related products are certified to Forestry Stewardship Council (FSC®).

This is vital not only for the health of the planet, but also shows Zest's commitment to the environment and to responsible sourcing. Timber is a natural material and, as such, will fit beautifully within any outdoor space. This also means that all Zest pieces are unique because every piece of timber has its own distinctive features.



Natural and Unique...

Changes in temperature and humidity will cause expansion and contraction so Zest products need time to adjust to where the owners live. A few splits or cracks are part of the maturing process and will not affect strength or durability. Knots embedded in the wood are natural and tell the story of the tree which made them. Customers may notice variations in colour but, once out in the garden and exposed to the sun, colour and shading will even out.

Most Zest products are pressure treated which protects the timber from rot and means customers will be able to enjoy the products in their garden for many years.

Fresh pressure treatment sometimes leads to a small amount of green-spotting on the surface of new timber as the natural salt leaves the wood. This will fade away over time and is in no way detrimental to quality or durability.

Splits and cracks occur naturally in the timber grain due to changing temperatures and humidity levels. They are not usually a cause for concern as they don't affect the strength or durability of the product. If however, a 2p coin can fit into the split or crack there may be an issue so it should be reported to the retailer in writing with photographic evidence.

The benefits of slow grown timber

“ Slow grown timber from Eastern Europe is ideal for timber garden furniture. It produces a stronger grain in the wood giving it more durability and is said to be as strong as some hard woods. ”



Normal splits are characteristics of timber.



Knots are characteristics of timber.



Sun Bleaching & Green Spotting are not causes for concern and they will fade over time when items are placed outdoors.



Should you find a large split or dead knot, please email a photo to your retailer for investigation.

Lily Relax Double Seat Assembly Instructions


Requires 2 person assembly.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, 4mm Hex (Allen) Key,
Mallet required in order for you to drill all screw holes before construction.

Please take a few moments to check all pack contents listed




Lily Relax Double Seat Pack List			
Code	Item	Description	Quantity
09150	A	Back Support Assembly	2
09151	B	Seat Assembly	2
09152	C	Back Assembly	2
09153	D1	Armrest/Leg Assembly Right	2
09154	D2	Armrest/Leg Assembly Left	2
09155	E	Leg	2
09156	F	Upper Shelf Assembly	1
09157	G	Lower Shelf Assembly	1

10840 - Lily Relax Double Seat Fixings List		
Item	Description	Quantity
1	50mm Screws	18
2	Hex Bolts	12
3	'T' Nuts	12
4	Hex Screws	4



This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase




1



Insert Back Assembly A between rear legs of Seat Assembly B, align bolt holes and insert 2x Hex Bolts and 'T' Nuts. See Figs. 1a, 1b & 1c.




Do not fully tighten at this stage.

2



Locate Back Assembly C as shown in Fig 2a and fix in position using 6x Screws. See Figs 2b & 2c.

3




Position Armrest/Leg Assembly D1 as shown in Fig 3a. Align bolt holes and insert 2x Hex Bolts and 'T' Nuts. See Fig 3b. Do not fully tighten.

Attach Armrest/Leg Assembly D1 to Back Support Assembly A using 1x Screw. See Fig 3c.

Repeat stages 1-3 for remaining seat using Armrest/Leg Assembly D2.





4



Position Leg E as shown in Fig 4a and attach to Upper Shelf Assembly F using 1x Screw. Fix remaining Leg E in corresponding position on Upper Shelf Assembly.

Ensuring correct orientation of Lower Shelf Assembly G, attach to both Legs E using 2x Hex Screws. See Fig 4b.

5



Place shelf assembly between seat assemblies (D1 & D2 outermost) Fig 5a, locate screw/bolt holes and attach using 4x Hex Bolts & 'T' Nuts to front (Fig 5b) and 2x Hex Screws to rear (Fig 5c).

Attach rear of Upper Shelf Assembly F to Back Support Assemblies A using 2x Screws as shown in Fig 5d.

Fully tighten all bolts at this stage.



Your Lily Relax Double Seat is now complete.