▲ royalcraft

Assembly Instructions Product size: 150x130x186cm (4.9x4.3 FT)

IMPORTANT TO FOLLOW THESE ASSEMBLY INSTRUCTIONS

Important, please retain for future reference.

Read carefully.

Requires two people and takes 3-4 hours for Installation.

Assembly Preparation

Before you begin:

Please check local building codes regarding footings, location and other requirements before beginning construction.

Reviewing all instructions and the appropriate information before you begin, make sure following the step sequence carefully for successful results.

Safety & Precautions:

- > Select a suitable level ground that is suitable for the size of your shed at your property.
- The owner must use Safety gloves provided when erecting your shed (2 pairs are provided with your shed)
- > Your shed is supplied in multiple boxes for safe handling
- > Your shed is DIY shed. Do not attempt to assemble the shed on a windy day.
- It is recommended to plan at least one whole day for the assembly of your shed by 2 persons.
- A suitable ladder will be required to assemble your shed we recommend you take necessary precautions to avoid injury.
- Be cautious with the tools used for the assembly of the shed .Familiarize yourself with the operation of all the power tools.

Location and Base:

A good location for the storage building is a square and level area with good drainage.

The base is not included in the kit which may need purchase separately or may construct a foundation and anchoring system of your own.

A strong plastic sheet (thickness: at least 150µm) should be placed under the foundation to assist in reducing rising dampness from the soil, thus reducing condensation build up in the shed.

Your storage building **must be anchored** to prevent wind damage. Once secured, it is highly recommended applying silicone along the inside of the base rail to minimize condensation.




Parts and Parts List:

Before you start, separate and identify all the parts and hardware to be sure that you have all the necessary parts for your building (refer to the Parts List Page).

Do not attempt to assemble the building if parts are missing because any building left partially assembled may be seriously damaged by light winds.

Personal Tools you will Need:

(Please tear off the safety protection layer before the assembly, keep the part number label if needed)



Safety must be put in the No. 1 position:


- 1. Select a dry and calm day for your assembly.
- 2. Team works (2 or more people) are required during the assembly. It is also recommended to finish the assembly in a day to avoid damage to the product or missing of some small parts.
- 3. Wearing safety gloves, eye protection and long sleeves during the assembly to prevent injury. Pay attention to the sharp edge of some parts.
- 4. Children and pets are not allowed entering into the construction site.
- 5. Never concentrate your total weight on the roof of the building.


When using a step ladder make sure that it is safe.

Care & Maintenance:

- 1. Keep the shed clean with soft cloth, use water if necessary.
- 2. Keep the door tracks clear of dirt and other stuff that prevent them from sliding easily.
- 3. Clean the snow with necessary tools to make sure it is safe to enter into.
- 4. The shed is not made for living but storing stuff.
- 5. Please add some oil on the top and bottom door sliding channel to make door slides smoothly.











www.royalcraft.co.uk					Royalciait				
NO.	IMAGE	mm	QTY		NO.	IMAGE	mm	QTY	
UNDER				1	T-P2	l.		x2	
Ass-A1	-	1387	x1		T-P3	Ŕ		x4	
Bs-A3	ᡗ᠋	1174	x2		T-P4	Ø		x2	
Ass-A4	Ľ	1387	x1	1	TP5A			x4	
MIDDLE				1	T-P6	Î		x1	
Bs-8b		1648	x4		M-27	k	16	x2	
Bs-14	~~~~~~	1648	х3		Ass-A40	0		x106	
Ass-A9		1352	x1		Ass-A41	S	ST4x10	x132	
Ass-A11	7	1354	x1		Ass-A42	S.	ST4x16	x12	
As-A13	7	1168	x2		Ass-A43	J ^{and}	M4x10	x48	
Pt-D16	· 7	1648	x1		Ass-A44	6		x47	
Pt-D17		1648	x1		Pt-D50	3		x1	
Ass-B18		620	x1		Pt-D51	E D		x1	
Bs-A47a	,	1356	x1			Ø	40mm	x1	
Bs-A48		1146	x2			M.		x2	
TOP1						Ť			
Ass-A19		670	x2						
Ass-A20		670	x2						
Ass-A22	~	1170	x2						
Ass-A29		110	x4						
TOP2									
Ass-A23		761	x2						
Ass-A25		761	x2						
As-26	_]	1296	x2						
Ass-A38		759	x2						
Ass-A39		759	x2						
As-A28		1298	x1						
DOOR									
Ass-B30a	0 0 0 0	1643	x1						
Ts-31		1583	x1						
Bs-B32		978	x2						
Bs-B33		593	x1						
Bs-B34]	593	x1						
ANNEX									
T-P1	Ø		x2						
				-			· · · · · ·	6/10	

Röyalcraft)®




Röyalcraft)®




luciu

Röyalcraft




man

Röyalcraft)®



(reg


Röyalcraft



mm

www.royalcraft.co.uk






mm


Ass-A22

III






le m




mm

Röyalcraft)®









16/19









www.royalcraft.co.uk

Rőyalcraft)®





Röyalcraft

