

Assembly Instructions Economy Potting Table

Code: 00374



 $(W \times D \times H) 0.90m \times 0.45m \times 0.91m$



ONLINE ASSEMBLY VIDEO AVAILABLE

Please scan the QR code or visit zestoutdoorlivingsupport.co.uk



PLEASE KEEP THESE INSTRUCTIONS





Every Zest product is unique because each piece of timber has its own distinctive, natural features.

Zest sources all of its timber from responsibly-managed forests and everything it designs and produces meets the highest standards of sustainability. Zest ensures that all timber and timber-related products are certified to Forestry Stewardship Council (FSC®).

This is vital not only for the health of the planet, but also shows Zest's commitment to the environment and to responsible sourcing. Timber is a natural material and, as such, will fit beautifully within any outdoor space. This also means that all Zest pieces are unique because every piece of timber has its own distinctive features.

Natural and Unique...

Changes in temperature and humidity will cause expansion and contraction so Zest products need time to adjust to where the owners live. A few splits or cracks are part of the maturing process and will not affect strength or durability. Knots embedded in the wood are natural and tell the story of the tree which made them. Customers may notice variations in colour but, once out in the garden and exposed to the sun, colour and shading will even out.

Most Zest products are pressure treated which protects the timber from rot and means customers will be able to enjoy the products in their garden for many years.

Fresh pressure treatment sometimes leads to a small amount of green-spotting on the surface of new timber as the natural salt leaves the wood. This will fade away over time and is in no way detrimental to quality or durability.

Splits and cracks occur naturally in the timber grain due to changing temperatures and humidity levels. They are not usually a cause for concern as they don't affect the strength or durability of the product. If however, a 2p coin can fit into the split or crack there may be an issue so it should be reported to the retailer in writing with photographic evidence.



The benefits of slow grown timber

44

Slow grown timber from Eastern Europe is ideal for timber garden furniture. It produces a stronger grain in the wood giving it more durability and is said to be as strong as some hard woods.





Normal splits are characteristics of timber.



Knots are characteristics of timber.



Sun Bleaching & Green Spotting are not causes for concern and they will fade over time when items are placed outdoors.



Should you find a large split or dead knot, please email a photo to your retailer for investigation.

Economy Potting Table Assembly Instructions

Requires: 2 person assembly.


Tools required: Corded / cordless drill, 3mm drill bit, *Pozi- drive bit / Screwdriver (*Crosshead)

(All screw holes to be pre-drilled)


Please take a few moments to check all pack contents listed

Economy Potting Table Pack List				
Code	Item	Description	Quantity	
09013	А	Shelf Assembly	1	
09014	В	Side Frame	2	
09015	С	Side Frame Bracing	2	
09016	D	Worktop Assembly	1	
09017	Е	Lateral Board	2	
09018	F	Fascia Board	1	
09019	G	Shelf Upstand	1	

12860 - Economy Potting Table Fixings List				
Item	Description	Quantity		
1	35mm Screws	20		
2	50mm Screws	4		




This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase






Fix Shelf Assembly (A) to Side Frames (B) as shown in Fig 1 using 4x 35mm screws. Ensure that shelf support rails face inwards.








Attach 2x Side Frame Bracings (C) to Side Frames using 4x 35mm screws (2x per bracing), as shown in Fig 2. Ensure Side Frame Bracing (C) face outwards.






Place Worktop Assembly (D) onto the framework ensuring open edge of Worktop Assembly is flush with front face of side frames and screw down into legs using 4x 50mm screws (1x 50mm screw per corner) (See Figs 3a & 3b).





Position 2x Lateral Bracings (E) to Side Panels and Worktop Assembly ensuring mitre cuts are correctly orientated and attach using 4x 35mm screws (2 per bracing). See Fig 4.





Attach Fascia Board (F) to Side Panels using 4x 35mm screws (2x per end), ensuring top of Fascia Board is flush with top of Worktop Assembly as shown in Fig 5a & 5b.





Position Shelf Upstand (G) to rear of Shelf Assembly and fix to rear legs of Side Frames using 4x 35mm screws (2x per end - See Fig 6).



Your Economy Potting Table is now complete.