

(W x D x H) 2.20m x Diameter x 0.75m



PLEASE KEEP THESE INSTRUCTIONS





Every Zest product is unique because each piece of timber has its own distinctive, natural features.

Zest sources all of its timber from responsibly-managed forests and everything it designs and produces meets the highest standards of sustainability. Zest ensures that all timber and timber-related products are certified to Forestry Stewardship Council (FSC®).

This is vital not only for the health of the planet, but also shows Zest's commitment to the environment and to responsible sourcing. Timber is a natural material and, as such, will fit beautifully within any outdoor space. This also means that all Zest pieces are unique because every piece of timber has its own distinctive features.

Natural and Unique...

Changes in temperature and humidity will cause expansion and contraction so Zest products need time to adjust to where the owners live. A few splits or cracks are part of the maturing process and will not affect strength or durability. Knots embedded in the wood are natural and tell the story of the tree which made them. Customers may notice variations in colour but, once out in the garden and exposed to the sun, colour and shading will even out.

Most Zest products are pressure treated which protects the timber from rot and means customers will be able to enjoy the products in their garden for many years.

Fresh pressure treatment sometimes leads to a small amount of greenspotting on the surface of new timber as the natural salt leaves the wood. This will fade away over time and is in no way detrimental to quality or durability.

Splits and cracks occur naturally in the timber grain due to changing temperatures and humidity levels. They are not usually a cause for concern as they don't affect the strength or durability of the product. If however, a 2p coin can fit into the split or crack there may be an issue so it should be reported to the retailer in writing with photographic evidence.



The benefits of slow grown timber Slow grown timber from Eastern Europe is ideal for timber garden furniture. It produces a stronger grain in the wood giving it more durability and is said to be as strong as some hard woods.





Should you find a large split or dead knot, please email a photo to your retailer for investigation.

FURNITURE | ARBOURS | GROW YOUR OWN | PLANTERS | TRELLIS | FENCING & MORE ...

Rose Round Picnic Table Assembly Instructions


Requires 2 Person assembly

Tools required: Corded / cordless drill, 3mm drill bit, *Pozi- drive bit / Screwdriver, Hammer, 17mm Socket & Ratchet, 3mm DrillBit required in order for you to drill all screw holes before construction


Rose Round Picnic Table Pack List				
Code	Item	Description	Quantity	
09247	A1	Seat Bar (Upper)	2	
09248	A2	Seat Bar (Lower)	2	
09249	В	Seat Assembly	4	
09250	С	Leg	8	
09251	D	Leg Brace	4	
09252	E	Table Top Support	4	
09253	F	Table Top	1	

Please take a few moments to check all pack contents listed


13806 - Rose Round Picnic Table Fixings List				
Item	Description	Quantity		
1	70mm Screws	16		
2	90mm Bolt, 30mm Washer, Spring Washer & Nut	16		
3	130mm Bolt, 30mm Washer, Spring Washer & Nut	4		
4	130mm Bolt, 20mm Washer & Nut	12		
5	Plastic Nut Cover	12		




This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase




Position Seat Bars (A1) onto 2no. Seat Assemblies (B) as shown in Fig 1a, align bolt holes and insert 130mm bolts (Fig 1b). Attach 30mm washers, spring washers and nuts. Do not fully tighten at this stage. Repeat process using Seat Bars A2 and remaining Seat Assemblies.




Position Leg (C) as shown in Fig 2a, align bolt holes and insert 2no 90 mm bolts & attach 30mm washers, spring washers and nuts (Fig 2b). Do not fully tighten at this stage. Repeat process for the remaining 7 legs.




Position Leg Brace (D) on to Seat Bars (as shown in fig 3a), and fix in position using 2no 70mm screws. Attach Legs to Leg Brace with 2no 70mm screws. See Fig 3b. Repeat for remaining Leg Braces.




Turn Assemblies over and interlock Seat Bars A1 and A2 as shown in Fig 4a & 4b.



Insert Table-Top Support (E), align bolt holes and insert 2no 130mm bolts (Fig 5a & 5b).



Attach Nut Cover Base (Fig 5c), 20mm washers and nuts. Do not fully tighten at this stage. Repeat for remaining 3no Table-Top Supports.



Turn Assemblies over and interlock Seat Bars A1 and A2 as shown in Fig 4a & 4b.

7



Your Rose Round Picnic Table is now complete.