

ISSUE: 0519

FIXING PACK CODE: MSFP6

8x10, 8x12, 10x10 - TRUSS FIXING PACK CODES: STPK27(ary 1) & MSUBPK2(ary 1)

10x15 - TRUSS FIXING PACK CODES: STPK27(QTY 2) & MSUBPK2(QTY 2)

10x20 - TRUSS FIXING PACK CODES:


STPK27(QTY 3) & MSUBPK2(QTY 3)

Making British gardens great

Thank you for purchasing your shed from Forest Garden. No matter what size garden, a shed is the most practical of garden structures. Simply follow these step by step instructions and our top tips and you'll be enjoying your shed for many years to come. If you have any questions or need advice, our friendly team is here to help.

SHED INSTRUCTIONS

WORKSHOPS (8x10, 8x12, 10x10, 10x15, 10x20)



Missing Something?

Call our aftersales team on 0333 777 7089

Need more information?

Call our technical team on 0333 321 3142

Visit our website for spare instructions and more information


www.forestgarden.co.uk

Please read through these instructions to familiarise yourself with your shed. We recommend that you **check all the components** using the lists found on the front and back pages before you start to build.

All of our sheds are constructed in the same way. They simply come with different components depending on the type of shed you have. Don't worry if your fixing pack contains some spare items at the end of the build (you haven't missed a bit!) we have sent you a generic fixing pack to suit the shed range.

BASE PREPARATION

It's vital that you build your new shed on a **solid**, **level base**. Timber or Plastic Shed Bases are ideal, as is solid concrete or concrete slabs.




Timber BaseSelf-constructed/
Buy pre-made



Concrete
Concrete surface/
Concrete slabs



Pro Shed Base Interlocking eco-friendly base



Broken Slabs/Gaps
Uneven slab sizes
with no cement



Soil A base of soil only

If you have an existing base and think it's suitable for your new shed to be sited on, it is important you check that it is level and doesn't deviate by any more than 15mm from edge to edge. If this isn't the case the building will twist, causing gaps to appear in the sections and the roof, doors and windows to misalign.

There's more information on base preparation on our website www.forestgarden.co.uk

TOOLS NEEDED

We recommend using the following tools (not supplied):



Tape Measure



Sharp Knife



Pozidrive Screwdriver




Drill & 2mm Drill Bit



Hammer



Ladder



Spirit Level

Assembly is relatively straightforward if your follow these step by step instructions. We recommend getting everything aligned properly before screwing together and that screw holes should be pre-drilled to avoid splitting the timber.





To help you get the most out of our products it's useful to know a little more about the properties of timber, what's normal and how your shed may behave as the seasons change. Wood is an extremely durable material for construction but as a natural product when used outdoors it is susceptible to changes in the environment.

THINGS THAT YOU MIGHT SEE IN YOUR PRODUCT



MOVEMENT, TWISTING & WARPING

Wood contains a natural level of moisture so decreasing humidity levels in the surrounding air may cause panels to change their shape as the porous fibres shrink. This can be exaggerated during prolonged periods of dry weather. Movement and gaps in timber products are normal, in most cases the wood will revert to its original form once the high temperatures subside and there is more moisture content in the air. Similarly, in the winter months, the opposite may occur with wood swelling.



EXPANSION, CONTRACTION, SPLITS & CRACKS

All timber will expand and contract according to its environment. As a result of this expansion and contraction, it is very common to see splits and cracks developing in the wood. Splits are common during the spring and summer months as the wood begins to dry out. The outer surface dries first and contracts, contracting over a still expanded core of the wood. The result of this is that splits and cracks appear along the grain of wood. These splits are not a fault and do not affect the structural integrity of a product.



MOULD & BLUE STAIN

Mould is a surface-dwelling fungus that feeds on the nutrients and debris contained in the surface cells of timber. The most common problems associated with mould are discoloured timber and an increase in permeability of the timber. Blue stain is part of the same family but penetrates deeper into the surface layers of the timber. It stains the timber a dark blue, whereas mould is usually black. These do not cause the timber to rot. Keep the building well ventilated to avoid mould.

Treat your building annually, we advise the application of a high quality preservative that contains a mildewcide. For more information on the conditions of our guarantee see **forestgarden.co.uk**.

ADVICE ON FELT HANDLING & USAGE

Roofing felt is flexible at temperatures above 5°C. In cold temperatures extra care must be taken when handling and installing to prevent cracking and damage to the felt. The felt should not be rolled, folded or used in temperatures lower than 5°C. In cold temperatures the felt should be stored above 10°C (indoors) for 24 hours prior to use. Felt must be lifted, not dragged and should be stored on its end on a dry surface.

THE ROOF OF THIS BUILDING IS NOT A LOAD BEARING STRUCTURE

8 TOP TIPS TO ENSURE YOUR SHED IS FULLY WATERPROOF

- MAKE SURE YOU POSITION YOUR SHED IN THE BEST LOCATION IN YOUR GARDEN
 Avoid areas where water pools and is constantly wet. Position away from trees and cut back any overhanging foliage which can cause moisture to be trapped against shed walls and debris to collect on the roof.
- RAISE YOUR SHED OFF THE GROUND
 Ideally any concrete base should be the same footprint as the shed to allow surface water to run off without pooling, a timber shed base can also be used. Raise 50mm above ground level.
- SEAL THE BASE

 We recommend a treatment containing wax or oil, paint the bearers that come into contact with the ground to prevent moisture coming
- **USE AN END-GRAIN PROTECTOR**To protect the corners and panel joins, an end grain treatment can be applied.
- SEAL THE PANELS & WINDOWS

 Use a flexible silicone sealant around windows to prevent water ingress. This can also be used where 2 sections of the shed joint together. Apply internally.
- 6 CONSIDER ADDING GUTTERS

 Adding guttering around the fascia of the shed will redirect rain water away from the shed's foundation.
- **KEEP VENTILATED**Good airflow around the perimeter of the shed and regular ventilation inside the shed will help prevent mould and mildew.
- 8 CONSIDER A WEATHERPROOFING STAIN OR CLEAR TREATMENT
 We recommend you paint your garden shed with a weatherproofing treatment at least once a year. This will help maintain the wood, stabilise timber movement and help prolong the life of your shed.



TREATED TIMBER CONTAINING A BIOCIDAL PRODUCT

CONTROL OF WOOD DESTROYING ORGANISMS

Active Ingredients - Propiconazole, Tebuconazole, IPBC, Permethrine, Benzyl-C12-16-Alkyldimethyl Chlorides. (Dip Treated Sheds) Basic Copper Carbonate, DDA Carbonate, DDA Chloride. (Pressure Treated Sheds)

Wear gloves when handling. Avoid inhalation of sawdust. Do not use in contact with drinking water or food. Do not use for animal bedding or in fish ponds. Dispose of treated wood responsibly.

From the **section layout** below, identify your shed based on the **width** and **depth** dimensions of your shed – eg 8x10. You'll need this to identify the side panel positions.

KEY




- -A-1ft Panel (295 x 1603mm)
- -(B)-1.5ft Panel (442 x 1603mm)
- -D-3ft Panel (885 x 1603mm) (With & without windows)
- -E-4ft Panel (1180 x 1603mm) (With & without windows)

PLEASE NOTE

The sheds are made up of multiple sections where same size panels are interchangeable.

-C-2ft Panel (590 x 1603mm)




1 CONSTRUCTION1a FLOORS & SIDES

PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

Position the floors in your desired location. Follow the step provided based on your type of shed to piece the floors together as shown below. Use your section layout on page 4, which shows the amount of floors for your chosen shed.

Layout the panels around your shed base.


We recommend to start in a back corner then work from the back panels to the front panels for assembly.



1 Start at a back corner. See the section layout on page 4 to confirm position. Secure the corner as shown below.

Repeat the process for remaining panels and secure panels together. Make sure that the bottom frame of the wall panel rests on the outer edge of the floor.


Secure the panels into place by screwing into the floor. Screw the door batten down.





Attach the Back Apex Section by screwing to the wall panels. Leave the Front Apex Section off at this step.
This step applies to the 8x10 and 8x12.

For the 10x10, 10x15 and 10x20, assemble the front and back Apex Sections shown below.

Once assembled, attach the Back Apex Section by screwing to the wall panels. Leave the Front Apex Section off at this step. This step applies to the 10x10, 10x15 and 10x20.








Fix interior sills at the base of windows with L-brackets and screws at a 1002mm distance from the floor. Repeat this for multiple windows, as shown below.

Secure windows by screwing through the window cover strips and window into the panel frame. Screw into the bottom of the window and into the interior sill to keep secure. Make sure the window is centralised for all window frames as shown below.




3 COVER AND DOOR STRIPS


PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

Attach the cover strips onto the corners. Ensuring they are flush to the bottom edge of the panels as shown below. Attach the cover strips onto the adjoining panels. Ensuring it is flush to the bottom edge of the panels as shown below.

Secure the door weather strips. Ensure it's flush to the floor and against the inside face of the wall panel frame as shown below. Before attaching the doors, **Screw the** slamming strip onto the one door.
Ensure you screw through the slamming strip into the door framework as shown




ROOF



Assemble the truss and screw the U-brackets onto each beam. Ensure the truss support brackets are added first and flush to the edge of the central beams to establish the correct angle. Screw the battens to the beams, underneath the truss support brackets.

For the 8x10, 8x12 and 10x10 sheds, secure the support bracket hanger with screws into the center of your shed. There needs to be one at each side. For the 10x15 and 10x20 sheds, secure the support bracket hangers with screws onto the panels of your shed with the measurments shown below. There needs to be one at each side.




Before placing the OSB roof sheets onto the roof, screw the roof support strips along the edge of the OSB roof sheets.


Ensuring they are flush to the edges.

Add one strip onto each sheet as shown below. The strip will be the same length as one side of the sheet.

For 10x10, 10x15 and 10x20 sheds, screw the back Apex Section cover strip onto the join line. If you are not constructing these shed sizes, skip this step. Screw the truss to the support bracket hangers. For the 10x15 and 10x20 sheds, screw only one truss to the back support bracket hangers first.



PLEASE NOTE
For the 10x15 & 10x20 sheds, the front and back OSB roof sheets are bigger than the ones in the centre.



4c

PREPARATION: Attach the Z-brackets onto the face of one end of the 12 beams as shown below. The beam should be flush to the Z-bracket.

ATTACHMENT:


Secure the other end of the beams to the U-brackets on the truss by screwing from the underside of the beam.

Screw the Z-brackets

that are already attached to the beams onto the back apex section frame. This will apply to all of sheds. Staring at the back, screw the OSB roof sheets into position with the sheet edge onto the centre of the truss cental beam, as shown below into the shed frame and truss. The 10x15 and 10x20 sheds will have slight differences in sizes, therefore use the measurements shown below.

PLEASE NOTE

For the 10x15 & 10x20 sheds, the front and back OSB roof sheet: are bigger than the ones in the centre.



CAUTION
Ensure you screw into the truss/beams underneath.


TOP TIP: Mark onto the OSB sheet and draw a line to ensure you drill and screw into the truss/beams.


4d


The 10x15 and 10x20 sheds will repeat the process for the rest of the beams, truss and OSB roof sheets, working down to the front. Attach the beams without Z-brackets onto the U-brackets provided between each truss by screwing from the underside of the beam.

Before applying the last beams and OSB roof sheets, attach the front apex section (assembled). Then screw the cover strips into the apex section panel join lines shown below.

Apply the final beams by screwing the Z-brackets that are already attached to the beams onto the front apex section frame.









4e

Measure out 4 equal lengths and overlap it on the top, around the edges and fold the corners; tack to keep secure. Ensure 50mm at the bottom and work from the bottom to the top.

Secure the fascias and the finial with screws as shown below based on your chosen shed.








5a DOOR FIXINGS




Attach 2 hinges onto the door frame with the measurements provided. Please take note of the hinge position shown below. Repeat this on the other door. Place the door into the opening, ensuring it's level. Make sure the hinges are up against the door weather strip face. Repeat this with the other door. **Fix the Hasp and Staple** as shown. Ensure the screws go into the framework behind.



Fix the turn buttons as shown below. Screw one turn button at the top and at the bottom of the slamming strip. Screw into the slamming strip, ensuring it overlaps the frame.

Fix the turn button as shown below. Screw one turn button into the Apex Section, ensuring it overlaps the door. Make sure you screw the turn button above the door that does not have the slamming strip attached to it.



DIP TREATED APEX SHEDS

SELECT YOUR CHOSEN SHED & CHECK YOU HAVE ALL YOUR PARTS.

	Ņ.		2		8		-	-	4	2	_	4	7	6	-	12	7	2	4	4		-	4				
Overlap Apex 8' x 12' - No Windows (ODA812DDNWM)		Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Panel	(1180x1603mm)		Apex Section - Back	Apex Section - Door	Floor	Door	Door Batten (28x28x1180mm)	Roof Support Strip (28x28x1786mm)	Weather Strip (38x12x1710mm)	Cover Strip (44x16x1583mm)	Slamming Strip (45x28x1630mm)	Beam - Truss (45x28x1716mm)	Truss Support Batten (45x45x700mm)	Central Beam - Truss (45x45x1346mm)	Fascia (59x12x1493mm)	OSB Sheet - Roof	·	Finial	Felt				
Overlap Apex 8' x	Part Code		ODM590PP		ODM1180PP		ODAMPEA8	ODAMDDDE A8	MWSBFL38	MSDDR	28281180DT	28281786	38121710PDT	44161583DT	45281630DT	45281716P	45450700P	45451346PAII63	59121493PAII63DT	OSB178614548		FIN20010512DT	85052				
Ī	No.		2		ဗ		2	1	1	4	7	6	9	1	4	2	6	1	12	7		7	4	9	4	1	4
Overlap Apex 8' x 12' - 6 Windows (ODA812DDM)		Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Window Panel	(1180x1603mm)	Section E - 4ft Panel	(1180x1603mm)	Apex Section - Back	Apex Section - Door	Floor	Door	Window Cover Strip (28x16x550mm)	Interior Sill (28x28x548mm)	Door Batten (28x28x1180mm)	Roof Support Strip (28x28x1786mm)	Weather Strip (38x12x1710mm)	Cover Strip (44x16x1583mm)	Slamming Strip (45x28x1630mm)	Beam - Truss (45x28x1716mm)	Truss Support Batten (45x45x700mm)	Central Beam - Truss	(45x45x1346mm)	Fascia (59x12x1493mm)	Window	OSB Sheet - Roof	Finial	Felt
Overlap Apex 8'	Part Code		ODM590PP		ODM1180WP		ODM1180PP	ODAMPEA8	ODAMDDDEA8	MWSBFL38	MSDDR	28160550DT	28280548DT	28281180DT	28281786	38121710PDT	44161583DT	45281630DT	45281716P	45450700P		45451346PAII63	59121493PAII63DT	RPE T590	OSB178614548	FIN20010512DT	85052
	No.		4		2		4	-	-	4	2	1	4	2	6	12	-	2	2	4		4	-	4			
Overlap Apex 8' x 10' - No Windows (ODA810DDNWM)		Section D - 3ft Panel (885 x	1603mm)	Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Panel	(1180x1603mm)	Apex Section - Back	Apex Section - Door	Floor	Door	Door Batten (28x28x1180mm)	Roof Support Strip (28x28x1491mm)	Weather Strip (38x12x1710mm)	Cover Strip (44x16x1583mm)	Beam - Truss (45x28x1421mm)	Slamming Strip (45x28x1630mm)	Truss Support Batten (45x45x700mm)	Central Beam - Truss (45x45x1346mm)	Fascia (59x12x1493mm)		OSB Sheet - Roof	Finial	Felt			
Apex 8' x 1	9											Door		Weathe	Cover	Beam - T	Slamming	uŢ) 	Fas							
Overlap	Part Code		ODM885PP		ODM590PP		ODM1180PP	ODAMPEA8	ODAMDDDEA8	MWSBFL258	MSDDR	28281180DT Door	28281491	38121710PDT Weathe	44161583DT COVER	45281421P Beam - T	45281630DT Slamming	Tru 45450700P	Cel 45451346PAII63 (el	59121493PA//63DT Fas		OSB149114548	FIN20010512DT	85052			
Overlap	No. Part Cod	L	4 ODM885PP		2 ОВМ590РР		4 ODM1180PP	1 ODAMPEA8	1 ODAMDDDEA8	4 MWSBFL258	2 MSDDR			-									4 FIN20010512DT	4 85052	4	-	4
Overlap Apex 8' x 10' - 4 Windows (ODA810DDM)	No.	Section C - 2ft Panel (590 x	4	v Panel	2	Je.	4	1	- Door 1	4	2	28281180DT	28281491	Jmm) 1 38121710PDT	4 44161583DT	45281421P	9 45281630DT	45450700P		2 59121493PAIR3DT	SS	2 OSB149114548	493mm) 4	4	- Roof	Finial 1	Felt 4

	Г								г					-						Г						
Š.		7	٠	?	2	_	_	4	7	•	D 4	, -	Ľ	4	7	6	1	12	2	ď	7	4	9	4	_	4
Shiplap Apex 8' x 12' - 4 Windows (SDA812DDM) PartCode Description	Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Window Panel	Section F - 4ft Panel	(1180x1603mm)	Apex Section - Back	Apex Section - Door	Floor	Door	Window Cover Strip	(28x12x550mm)	Door Batten (28x28x1180mm)	Roof Support Strip	(28x28x1786mm)	Weather Strip (38x12x1710mm)	Cover Strip (40x12x1583mm)	Slamming Strip (45x28x1630mm)	Beam - Truss (45x28x1716mm)	Truss Support Batten (45x45x700mm)	Central Beam - Truss	(45X45X1346mm)	Fascia (59x12x1493mm)	Window	OSB Sheet - Roof	Finial	Felt
		SDM590PP		SUMTTRUMP	SDM1180PP	SDAMPEA8	SDAMDDDEA8	WWSBFL38	MSDDR		28120550PDT	28280348D1		28281786	38121710PDT	40121583PDT	45281630DT	45281716P	45450700P			59121493PAII63DT	RPET590	OSB178614548	FIN20010512DT	82008
No.		4	•	7	4	-	1	4	7	•	9 7	-		4	7	6	12	7	2	,	7	4	4	4	-	4
оррм)	×		Je!									_		- 1	=	_	<u>-</u>	Ê	Ì		1					
Shiplap Apex 8' x 10' - 4 Windows (SDA810DDM Part Code	Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Window Pane	Section F - 4ft Panel	(1180x1603mm)	Apex Section - Back	Apex Section - Door	Floor	Door	Window Cover Strip	(28x12x550mm)	Door Batten (28x28x1180mm	Roof Support Strip	(28x28x1491mm)	Weather Strip (38x12x1710mm)	Cover Strip (40x12x1583mm)	Beam - Truss (45x28x1421mm)	Slamming Strip (45x28x1630mm)	Truss Support Batten (45x45x700mm)	Central Beam - Truss	(45X45X1346mm)	Fascia (59x12x1493mm)	Window	OSB Sheet - Roof	Finial	Felt

one.)
order
d to
n need
you
plno
ve sh
abo
isted
are
They
them.
s on
codes
ave
4
not h
s do not h
do not h

10

PRESSURE TREATED APEX SHEDS

SELECT YOUR CHOSEN SHED & CHECK YOU HAVE ALL YOUR PARTS.

																													L							
	Ņo.		ო		2		-		2	-	7	1	-	-	9	7		6	9	-		7		4		7		7			-	13		12		9
Overlap Apex 10 x 15 - 6 Windows (OPA1015DDM)	Description	Section D - 3ft Window Panel	(885 x 1603mm)	Section D - 3ft Panel (885 x	1603mm)	Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Panel	(1180x1603mm)	Apex Section - Right Back	Apex Section - Left Back	Apex Section - Right Door	Apex Section - Mid Door	Apex Section - Left Door	Floor	Door	Window Cover Strip	(28x16x550mm)	Interior Sill (28x28x400mm)	Door Batten (28x28x1180mm)	Roof Support Strip	(28x28x1475mm)	Roof Support Strip	(28x28x1491mm)		Weather Strip (38x12x1710mm)	Apex Section - Front Cover Strip	(44x16x325mm)		Apex Section - Back Cover Strip	(44x16x730mm)	Cover Strip (44x16x1583mm)		Beam - Truss (45x28x1421mm)		Beam - Truss (45x28x1426mm)
Overlap Apex to	Part Code		OPM885WP		OPM885PP		OP/M590PP		OPM1180PP	OPAMPEASRH	ОРАМРЕАБІН	ОРАМОВОЕАЅКН	ОРАМВОВЕАЅМІВ	OPAMDDDEASLH	957JJBSMW	MSPDR		28160550DT	Z8280400PT	Z8281180PT		28281475		28281491		38121710PPT		44160325AI63PT			44160730AII63PT	44161583PT		45281421P		45281426P
j	Ñ.		2		7		2		4	1	-	1	1	1	4	7		9	4	1		4		2		2		-			11	12		1		7
Overlap Apex to X to -4 Willdows (OFATOTODIN)	Description	Section C - 2ft Panel (590 x	1603mm)	Section A - 1ft Panel (295x	1603mm)	Section E - 4ft Window Panel	(1180x1603mm)	Section E - 4ft Panel	(1180x1603mm)	Apex Section - Right Back	Apex Section - Left Back	Apex Section - Right Door	Apex Section - Mid Door	Apex Section - Left Door	Floor	Door	Window Cover Strip	(28x16x550mm)	Interior Sill (28x28x548mm)	Door Batten (28x28x1180mm)	Roof Support Strip	(28x28x1491mm)		Weather Strip (38x12x1710mm)	Apex Section - Front Cover Strip	(44x16x325mm)	Apex Section - Back Cover Strip	(44x16x730mm)			Cover Strip (44x16x1583mm)	Beam - Truss (45x28x1421mm)		Slamming Strip (45x28x1630mm)	Truss Support Batten	(45x45x895mm)
Overlap Apex to	Part Code		OPM590PP		OPM295PP		OPM1180WP		OPM1180PP	OPAMPEASRH	OPAMPEASLH	<i>ОРАМВ</i> ВВЕА5RH	OP AMDDDEA 5MID	OPAMDDDEASLH	SST48SMW	MSPDR		28160550PT	28280548PT	28281180PT		28281491		38121710PPT		44160325Al63PT		44160730AII63PT			44161583PT	45281421P		45281630PT		45450895P
-	N		4		2		4	-	-	4	2		-		4		2		6		12		1		2	2		4		4	-	4		-	_	
A TO THO WILLIAMS (OF ACIOLANIA	Description	Section D - 3ft Panel (885 x	1603mm)	Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Panel	(1180x1603mm)	Apex Section - Back	Apex Section - Door	Floor	Door		Door Batten (28x28x1180mm)	Roof Support Strip	(28x28x1491mm)		Weather Strip (38x12x1710mm)		Cover Strip (44x16x1583mm)		Beam - Truss (45x28x1421mm)		Slamming Strip (45x28x1630mm)	Truss Support Batten	(45x45x700mm)	Central Beam - Iruss (45x45x1346mm)		Fascia (59x12x1493mm)		OSB Sheet - Roof	Finial	Feit				
Overlap Apex o x	Part Code		OPM8 85PP		OPMS 90PP		OPM1180PP	OPAMPEA8	OPAMDDDEA8	MWSBFL258	MSPDR		28281180PT		28281491		38121710PPT		44161583PT		45281421P		45281630PT		45450700P	45451346PAII63		59121493PAII63PT		OSB149114548	FIN20010512PT	85052				
	Š.		4		7		4	-	-	4	7		9		4		-		4		2		6		12	-		7		2	4	4	4	1	4	
Overlap Apex o x 10 - 4 Windows (OFACTUDDIN)	Description	Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Window Panel	(1180x1603mm)	Section E - 4ft Panel	(1180x1603mm)	Apex Section - Back	Apex Section - Door	Floor	Door	Window Cover Strip	(28x16x550mm)		Interior Sill (28x28x548mm)		Door Batten (28x28x1180mm)	Roof Support Strip	(28x28x1491mm)		Weather Strip (38x12x1710mm)		Cover Strip (44x16x1583mm)		Beam - Truss (45x28x1421mm)	Slamming Strip (45x28x1630mm)	Truss Support Batten	(45x45x700mm)	Central Beam - Truss	(45x45x1346mm)	Fascia (59x12x1493mm)	Window	OSB Sheet - Roof	Finial	Felt	
Overlap Apex a	Part Code		OPM590PP		OPM1180WP		OPM1180PP	OPAMPEA8	OPAMDDDEA8	MWSBFL258	MSPDR		28160550PT		28280548PT		28281180PT		28281491		38121710PPT		44161583PT		45281421P	45281630PT		45450700P		45451346PAII63	59121493PAII63DT	RPE T590	OSB149114548	FIN20010512PT	85052	

Apex Section - Right Back
Apex Section - Right Back
Apex Section - Right Boor
Apex Section - Right Door
Apex Section - Left Boor
Apex Section - Left Door
Apex Section - Left Door
Apex Section - Left Boor
Floor
Boor
Apex Section - Left Boor
(28x16x56mm)
Interior Sill (28x28x548mm)
Door Batten (28x28x148mm)
Roof Support Strip
(28x28x1478mm)
Roof Support Strip
(28x28x1478mm)

28160550PT 28280548PT 28281180PT

28281475

OPM1180PP
OPAMPEASCH
OPAMPEASCH
OPAMDDEASSCH
OPAMDDDEASSCH
OPAMDDDEASCH
MWSBFLSS
MSPDR

Section E - 4ff Window Panel (1180x1603mm) Section E - 4ff Panel

OPM1180WP

Description
Section D - 3ft Panel (885 x
1603mm)
Section C - 2ft Panel (590 x

ОРМ885РР ОРМ590РР

Overlap Apex 10' x 20' - 8 Windows (OPA1020DDM

45450895P (45x45x895mm)	Central Beam - Truss 45451677PAII63 (45x45x1677mm)	89121825P4Il63PT Fascia (59x12x1825mm)	RPET590 Window	OSB178614918 OSB Sheet - Roof	FIN20010512PT Finial	85052 Felt			
imm) 2	7mm) 2	1825mm) 4	w 4	Roof 4	7	2			
45281426P	45281630PT	45450895P	45451677PAII63	59121825PAII63PT	RPET885	OSB178614758	OSB178614918	FIN20010512PT	FELT78BL

45451677PAJI63 59121825PAJI63PT RPET590 OSB178614918 OSB178614758 FINZ0010512PT FELT78BL

Apex Section - Back Cover Strip (44x16x730mm)
Cover Strip (44x16x1583mm)

44160730AII63PT 44161583PT Beam - Truss (45x28x1421mm)
Beam - Truss (45x28x1426mm)

45281630PT

45450895P

45281426P

45281421P

Apex Section - Front Cover Strip (44x16x325mm)

44160325AI63P

Weather Strip (38x12x1710mm)

38121710PPT

28281491

45451677PAII6		59121825PAII63		RPET590	OSB17861491	FIN20010512P	85052																					
		No.		7		8		-	-	4	7	_	_		2	6	-	12	7	7	4	4	-	4				
	Overlap Apex 8' x 12' - No Windows (OPA812DDNWM)	Description	Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Panel	(1180x1603mm)		Apex Section - Back	Apex Section - Door	Floor	Door	Door Batten (28x28x1180mm)	Roof Support Strip	(204204170011111)	Weather Strip (38x12x1710mm)	Cover Strip (44x16x1583mm)	Slamming Strip (45x28x1630mm)	Beam - Truss (45x28x1716mm)	Truss Support Batten (45x45x700mm)	Central Beam - Truss (45x45x1346mm)	Fascia (59x12x1493mm)	OSB Sheet - Roof	Finial	Felt				
	Overlap Apex 8' x ·	Part Code		OPM590PP		OPM1180PP		OPAMPEA8	OPAMDDDEA8	MWSBFL38	MSPDR	28281180PT	200.000	7971190	38121710PPT	44161583PT	45281630PT	45281716P	45450700P	45451346PAII63	59121493PAII63PT	OSB178614548	FIN20010512PT	85052				
		No.		7		က		2	l	-	4	7	•	0	9	-	4	2	6	1	12	2	2	4	9	4	-	7
	Overlap Apex 8' x 12' - 6 Windows (OPA812DDM)	Description	Section C - 2ft Panel (590 x	1603mm)	Section E - 4ft Window Panel	(1180×1603mm)	Section E - 4ft Panel	(1180×1603mm)	Apex Section - Back	Apex Section - Door	Floor	Door	Window Cover Strip	(284198391111)	Interior Sill (28x28x548mm)	Door Batten (28x28x1180mm)	Roof Support Strip (28x28x1786mm)	Weather Strip (38x12x1710mm)	Cover Strip (44x16x1583mm)	Slamming Strip (45x28x1630mm)	Beam - Truss (45x28x1716mm)	Truss Support Batten (45x45x700mm)	Central Beam - Truss (45x45x1346mm)	Fascia (59x12x1493mm)	Window	OSB Sheet - Roof	Finial	Fet
	Overlap Apex 8	Part Code		OPM590PP		OPM1180WP		OPM1180PP	OPAMPEA8	OPAMDDDEA8	MWSBFL38	MSPDR	70420200	1400000197	28280548PT	28281180PT	28281786	38121710PPT	44161583PT	45281630PT	45281716P	45450700P	45451346PAII63	59121493PAII63PT	RPE 7590	OSB178614548	FIN20010512PT	85052

•
one
4
orde
<u>ا</u> ح
should you need
you
<u>p</u>
) Ve
above
eq
list
are
They
Ë
the
O
odes
ave co
4
not
9
arts
e ba
T.